

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/449,643	11/30/1999	JAMES WICHELMAN	10001192	6526
22878 75	590 06/30/2005	EXAMINER		
AGILENT TECHNOLOGIES, INC.			GUTIERREZ, ANTHONY	
		STRATION, LEGAL DEPT.		<u>.</u>
P.O. BOX 7599 M/S DL429			ART UNIT	PAPER NUMBER
			2857	
LOVELAND,	CO 80537-0599			
·			DATE MAILED: 06/30/2005	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	09/449,643	WICHELMAN ET AL.			
Office Action Summary	Examiner	Art Unit			
	Anthony Gutierrez	2857			
The MAILING DATE of this communication app Period for Reply		orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply sepecified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim y within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 17 May 2005.					
	s action is non-final.				
Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
 4) ☐ Claim(s) 1-16,18 and 21-25 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-16,18 and 21-25 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 30 November 1999 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Example 11.	are: a)⊠ accepted or b)□ object drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Application ty documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da				
Notice of Draitsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		atent Application (PTO-152)			

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-4, 6, 11-16, 18, 21, 22, 24, and 25, are rejected under 35 U.S.C. 103(a) as being unpatentable over Schwartzman et al. (US Patent 6,385,773 B1) in view of Chen (US Patent 6,570,913 BI).

As to claims 1, 2, 11-16, 18, 21, 22, 24, and 25, Schwartzman et al. discloses a method that includes the use of a computer readable medium having a program for monitoring electrical signals (col. 8, line 66-col. 9, line 11) communicated along a plurality of nodes providing signal channels pursuant to a single channel plan, said channel plan having characteristics for each of the signal channels (Figures 1 and 2A, element 108, see also Fig. 3, with related discussion col. 10, lines 15-65, which discloses a channel transition procedure that is provided to obtain correlated power level data related to each of the frequency channels, using an analysis of one upstream frequency channel at a time, and that a threshold bit error rate is predetermined relative to a noise level of a frequency channel) comprising testing communication of the signals on the nodes by conducting a test plan, said test plan prescribing measurement of at least one test on at least one node (col. 9, line 59-col. 10, line 14,

Art Unit: 2857

and Fig. 3, box 302); comparing the results from said one test with a user definable alarm time limit (Fig. 3, boxes 304, 306, and 308); and performing a failure time spectrum scan, using a spectrum analyzer, on said one node when said test results exceed said alarm limit (Fig. 3, box 310), said failure time spectrum scan representative of power versus frequency over the frequency spectrum of said node (col. 6, lines 7 and 8, col. 9, lines 3-7, and col. 10, lines 21-24). Schwartzman further implies storing the scan in a database and adjusting the start and stop frequencies of the scan based on the channel under test at the time the alarm was exceeded (col. 2, lines 43-52, and col. 10, line 59-col. 11, line 6).

Schwartzman discloses (in the cited passages and Figures) a test which compares (bit error rate (BER) comparison) actual measured values from monitoring the signals (detected BER) with expected values indicated by the predefined characteristics of the channel plan (predetermined threshold BER relative to a noise level of a frequency channel) and thereby produces a test result (which serves to determine whether or not a spectrum analyzer searches for a cleaner or preferred frequency channel having a lower noise level). Schwartzman does not specifically state that the test is automated.

It would have been obvious, however, to one having ordinary skill in the art at the time the invention was made to automate the test, since it has been held that broadly providing a mechanical or automatic means to replace manual activity which has accomplished the same result involves only routine skill in the art. In re Venner, 120 USPQ 192.

Application/Control Number: 09/449,643

Art Unit: 2857

Schwartzman further implies the use of a switch capable of connecting one of said nodes with the spectrum analyzer (col. 5, lines 9-15 and col. 11, lines 21-23). While Schwartzman discloses a spectrum analyzer that is representative of power amplitude versus frequency as addressed above, Schwartzman et al. does not specifically state that a plot is generated and displayed.

Chen, however, specifically shows a generated plot of power amplitude versus frequency (Fig. 4A). Chen uses this plot to determine the carrier-to-noise ratio threshold in order to select a free band set (col. 11, lines 6-38).

It therefore would have been obvious to one of ordinary skill in the art at the time of invention to actually generate and display the plot of amplitude versus frequency from the data obtained from the spectrum analyzer to allow a user access to the information in a meaningful way in order to more accurately select a noise free band.

As to claim 3, Schwartzman et al. discloses that the scan is performed over the entire frequency spectrum of the node (col. 10, lines 21-24).

As to claim 4, Schwartzman et al. discloses that the nodes are part of a cable television network (col. 6, lines 54-57).

As to claim 6, Schwartzman discloses that the test is selected from the group consisting of total node power, carrier-to-noise power, percent availability, average noise power channel power, and burst count (col. 9, line 53-col. 10, line 14).

3. Claims 5, 7-10, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schwartzman et al. (US Patent 6,385,773 B1) in view of Chen (US Patent 6,570,913 B1), further in view of Sprenger et al. (US Patent 5,861,882).

The combination of Schwartzman et al. and Chen disclose generating a plot of power amplitude versus frequency for a spectrum analyzer scan performed on a system comprising a plurality of nodes as addressed above.

The combination does not specifically disclose the use of a graphical user interface.

Sprenger et al., however, teaches an integrated test measurement means that employs a graphical user interface (Title). The interface allows control of adjustable and selectable parameters to a user (col. 8, line 66-col. 9, line 21 and Fig. 4) and further generates a plot of data for a spectrum analyzer (Fig 2 and col. 6, lines 51-67). The system provides for storing test configurations and settings that can be recalled for repeated testing (col. 12, lines 18-42). This system is meant to provide means to overcome the limitations taught by Sprenger et al., known in the art including providing test system that are entirely software programmable that can be reconfigured without the need to disassemble, rearrange and reconnect the test elements into a new test configuration by hard wiring or the like (col. 2, lines 43-49).

It therefore would have been obvious to one of ordinary skill in the art at the time of invention, in view of teaching of Schwartzman et al. that a headend of an HFC cable system can typically service 40,000 subscribers on up to 80 nodes (col. 2, lines 43-52), to employ the system of Sprenger et al. for the combination of Schwartzman et al. And Chen, in order to rapidly and easily reconfigure the test elements when scanning for frequency channels to transition to.

Art Unit: 2857

Double Patenting

4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

5. Claims 1, 14, 15, 21, 24, and 25 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 6 and 19 of U.S. Patent No. 6,522,987 B1, in view of Chen (US Patent 6,570,913 B1).

Claims 6 and 19 of the patent reference discloses all the features of independent claims 1, 14, 15, 21, 24, and 25 of the present application, with the exception of generating a plot of amplitude versus frequency over the frequency spectrum of said node, when it is understood that the percent availability result of claim 6 is determined by recording the node frequency spectrum amplitude over time as taught in claim 19.

Chen, however, specifically shows a generated plot of power amplitude versus frequency (Fig. 4A). Chen uses this plot to determine the carrier-to-noise ratio threshold in order to select a free band set (col. 11, lines 6-38).

It therefore would have been obvious to one of ordinary skill in the art at the time of invention to actually generate and display the plot of amplitude versus frequency

from the data obtained from the spectrum analyzer to allow a user access to the information in a meaningful way in order to more accurately select a noise free band.

6. Claims 1, 14, 15, 21, 24, and 25 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 7 of U.S. Patent No. 6,741,947 B1 in view of Chen (US Patent 6,570,913 B1).

Claim 7 of the patent reference discloses all the features of independent claims 1, 14, 15, 21, 24, and 25 of the present application including the use of a spectrum analyzer, with the exception of generating a plot of amplitude versus frequency over the frequency spectrum of said node.

Chen, however, specifically shows a generated plot of power amplitude versus frequency (Fig. 4A). Chen uses this plot to determine the carrier-to-noise ratio threshold in order to select a free band set (col. 11, lines 6-38).

It therefore would have been obvious to one of ordinary skill in the art at the time of invention to actually generate and display the plot of amplitude versus frequency from the data obtained from the spectrum analyzer to allow a user access to the information in a meaningful way in order to more accurately select a noise free band.

7. Claims 1, 14, 15, 21, 24, and 25 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1, 3, and 4 of U.S. Patent No. 6,853,932 B1, in view of Chen (US Patent 6,570,913 B1).

Claims 1, 3, and 4, of the patent reference discloses all the features of independent claims 1, 14, 15, 21, 24, and 25 of the present application, with the

exception of generating a plot of amplitude versus frequency over the frequency spectrum of said node.

Chen, however, specifically shows a generated plot of power amplitude versus frequency (Fig. 4A). Chen uses this plot to determine the carrier-to-noise ratio threshold in order to select a free band set (col. 11, lines 6-38).

It therefore would have been obvious to one of ordinary skill in the art at the time of invention to actually generate and display the plot of amplitude versus frequency from the data obtained from the spectrum analyzer to allow a user access to the information in a meaningful way in order to more accurately select a noise free band.

Response to Arguments

8. Applicant's arguments filed 4/11/05 and entered along with amendment to the claims by the Request for Continued Examination filed 5/17/05, have been fully considered but they are not persuasive.

Applicant has amended the claims to overcome the cited references. The Examiner believes that the Applicant's amendment fails to overcome the references relied on in the rejection of record. In order to properly address this, the Examiner has included Applicant's amended claim language in the rejection above, indicating in those instances, an explanation as to the Examiner's interpretation of the language and the disclosure of the references.

The Terminal Disclaimer filed to overcome the standing Double Patenting rejections, remains disapproved as addressed below.

Application/Control Number: 09/449,643

Terminal Disclaimer

9. An attorney or agent, not of record, is not authorized to sign a terminal disclaimer in the capacity as an attorney or agent acting in a representative capacity as provided by 37 CFR 1.34 (a). See 37 CFR 1.321(b) and/or (c).

The Terminal Disclaimer is disapproved because the attorney on the Terminal Disclaimer is not of record.

As per Applicant's request, the Examiner has provided the following support for this requirement:

37 CFR 1.321 Statutory disclaimers, including terminal disclaimers.

- (b) An applicant or assignee may disclaim or dedicate to the public the entire term, or any terminal part of the term, of a patent to be granted. Such terminal disclaimer is binding upon the grantee and its successors or assigns. The terminal disclaimer, to be recorded in the Patent and Trademark Office, must:
 - (1) Be signed:
 - (i) By the applicant, or
 - (ii) If there is an assignee of record of an undivided part interest, by the applicant and such assignee, or
 - (iii) If there is an assignee of record of the entire interest, by such assignee, or
 - (iv) By an attorney or agent of record;

Conclusion

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

United States Patent US 6,895,043 B1 to Naegeli et al., discloses a method and apparatus for measuring quality of upstream signal transmission of a cable modem by comparing FFT measurements of normal time slots to dummy time slots.

United States Patent US 6,775,840 B1 to Nigel et al. discloses a device, system and method for locating clean channels for upstream data carriers using a spectrum analyzer for noise level determination.

United States Patent US 6,757,908 B1 to Vogel, discloses the use of a graphical representation of impairment or other conditions, including signal to noise ratio, in a data-over-cable system.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony Gutierrez whose telephone number is (571) 272-2215. The examiner can normally be reached on Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc Hoff can be reached on (571) 272-2216. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2857

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

が Anthony Gutierrez

6/21/05

HALLACHSMAN PRIMARY EXAPANER